



## **BEYRIS**



Candélabre en fonte (forme et texture obtenues par moulage).

Finitions: traitement par métallisation

peinture poudre polyester

## **BEYRIS PM**

Fixation: 4 scellements Ø 24 mm.

Entraxe: 300\*300 mm.

Hauteur de fixation du luminaire (montage top) : 3.78 et 6.88 m.

Fixation du luminaire : Ø 60 mm, Ø 27 pdg ou Ø 34 pdg.

## BEYRIS GM

 $\textbf{Fixation}: \textbf{4} \text{ scellements } \textbf{\emptyset} \text{ 27 mm}.$ 

Hauteur de fixation du luminaire (montage top) :  $5.97~\mathrm{m}$  et  $6,97~\mathrm{m}$ .

Entraxe: 400\*400 mm.

Fixation du luminaire : Ø 60 mm, Ø 27 pdg ou Ø 34 pdg ou réhausse spécifique.

(illustrations ci-contre : peinture givrée mate)









<sup>•</sup> Luminaire LED ou disponible en version LED.

## LED Luminaires

Modern Streetfurniture

Waste bins

**Bollards Light** 

tree grill

Bollards

Steel poles

Classic poles cast iron

MODERN POLES CAST IRON

Defence bollards

Drinkwater fountain

SEATING

TRAMWAY POLES

Modern LED luminaires

Classic luminaires

Classic street furniture

G D M

Rue Antoine Durenne 52220 Sommevoire France

Tel nr. 0033 3 25 55 23 03

Export internet : www.ghm-eclatec.com

ECLATEC

41 rue Lafayette 54320 Maxeville

France

Tel nr. 0033 3 83 39 38 28

Email export: info@ghm-eclatec.com