



Crosse Cilia : en aluminium, Ø 60 mm


Fixation du luminaire en version suspendu par mamelon Ø 27 PDG sur la crosse

Fixation coiffante de la crosse sur le mât


Finition : thermolaquage par poudrage polyester, couleur au choix

Mât : acier cylindro-conique Ø 60/62 mm


CILIA	A mm	B mm	C mm	D mm	Inclinaison degrés	Poids kg	SCx m ²
Simple feu	800	90	-	-	0	5,9	0,15
	1000	70	-	-	0	6,6	0,17
	1200	50	-	-	0	7,2	0,20
Double feu	800	90	1600	-	0	8,4	0,10
	1000	70	2000	-	0	9,6	0,12
	1200	50	-	-	0	10,8	0,13




crosse Cilia simple feu



crosse Cilia double feu



applique murale Cilia



Contre-feu Cilia



Elipt Cilia



Indice Graphic Cilia



Indice Volute Cilia



Indice Parabol Cilia



Metro Cilia



LED Luminaires

Modern Streetfurniture

Waste bins

Bollards Light

tree grill

Bollards

Classic poles cast iron

Steel poles

MODERN POLES CAST IRON

Defence bollards

Drinkwater fountain

SEATING

TRAMWAY POLES

Modern LED luminaires

Classic luminaires

Classic street furniture

Ghm

Rue Antoine Durenne
52220 Sommevoire
France
Tel nr. 0033 3 25 55 23 03

ECLATEC

41 rue Lafayette
54320 Maxeville
France
Tel nr. 0033 3 83 39 38 28

Export internet : www.ghm-eclatec.com

Email export: info@ghm-eclatec.com