



Crosse Cytise : en acier, Ø 60 mm


Fixation du luminaire en coiffant ou pénétrant standard Eclatec (cf p.132)

Fixation pénétrante de la crosse dans le mât


Finition : thermolaquage par poudrage polyester, couleur au choix

Mât : acier cylindro-conique Ø 60/62 mm


CYTISE	A mm	B mm	C mm	D mm	Inclinaison degrés	Poids kg	SCx m ²
Simple feu	800	500	-	-	10	8	0,12
	1000	600	-	-	10	10	0,14
	1200	700	-	-	10	12	0,18
Double feu	800	500	1600	-	10	12	0,20
	1000	600	2000	-	10	15	0,25
	1200	700	2400	-	10	18,5	0,32
Applique murale	600	400	-	410	10	6,9	0,10
	1000	660	-	477	10	9,8	0,14
	1200	800	-	477	10	11,8	0,18
Contre-feu	600	450	-	410	10	6,9	0,10
	1000	660	-	477	10	9,8	0,14
	1200	800	-	477	10	11,8	0,18




crosse Cytise simple feu



crosse Cytise double feu



contre-feu Cytise



applique murale Cytise



Zelda Cytise



Ixis Cytise



Moana Cytise



Tilt T Cytise



Tsana Cytise



Enza Cytise



Elipt Cytise



Chorus Cytise



Tweet Cytise



Zesto Cytise

LED Luminaires

Modern Streetfurniture

Waste bins

Bollards Light

tree grill

Bollards

Classic poles cast iron

Steel poles

MODERN POLES CAST IRON

Defence bollards

Drinkwater fountain

SEATING

TRAMWAY POLES

Modern LED luminaires

Classic luminaires

Classic street furniture

Ghm

Rue Antoine Durenne
52220 Sommevoire
France
Tel nr. 0033 3 25 55 23 03

ECLATEC

41 rue Lafayette
54320 Maxeville
France
Tel nr. 0033 3 83 39 38 28

Export internet : www.ghm-eclatec.com

Email export: info@ghm-eclatec.com