



Crosse Musa : en acier, Ø 60 mm


Fixation du luminaire en coiffant ou pénétrant standard Eclatec (cf p.132)

Fixation pénétrante de la crosse dans le mât


Finition : thermolaquage par poudrage polyester, couleur au choix

Mât : acier cylindro-conique Ø 60/62 mm


MUSA	A mm	B mm	C mm	D mm	Inclinaison degrès	Poids kg	SCx m ²
Simple feu	800	270	-	-	5	8	0,07
	1000	290	-	-	5	9,4	0,08
	1200	300	-	-	5	10,7	0,09
Double feu	800	270	1600	-	5	12,3	0,11
	1000	290	2000	-	5	15	0,14
	1200	300	2400	-	5	17,5	0,16
Applique murale	800	115	-	325	5	8	0,07
	1000	131	-	325	5	9,4	0,08
	1200	150	-	325	5	10,7	0,09
Contre-feu	800	115	-	325	5	8	0,07
	1000	131	-	325	5	9,4	0,08
	1200	150	-	325	5	10,7	0,09



crosse Musa simple feu



crosse Musa double feu



applique murale / contre-feu Musa



Chorus Musa



Moana Musa



Tsana Musa



Tweet Musa



Pixel Musa



Zelda Musa



Zesto Musa



Murena Musa



Indice Graphic Musa



Clip Musa

LED Luminaires

Modern Streetfurniture

Waste bins

Bollards Light

tree grill

Bollards

Classic poles cast iron

Steel poles

MODERN POLES CAST IRON

Defence bollards

Drinkwater fountain

SEATING

TRAMWAY POLES

Modern LED luminaires

Classic luminaires

Classic street furniture

Ghm

Rue Antoine Durenne
52220 Sommevoire
France
Tel nr. 0033 3 25 55 23 03

Export internet : www.ghm-eclatec.com

ECLATEC

41 rue Lafayette
54320 Maxeville
France
Tel nr. 0033 3 83 39 38 28

Email export: info@ghm-eclatec.com