





Crosse Salomé : en aluminium, Ø 89 mm
 Fixation suspendue du luminaire par rotule
 Fixation pénétrante de la crosse dans le mât
 Finition : thermolaquage par poudrage polyester, couleur au choix

Mât : acier cylindro-conique Ø 89 mm


SALOME	A mm	B mm	C mm	D mm	Inclinaison degrès	Poids kg	SCx m ²
Simple feu	700	1920	-	-	0	13,8	0,31
Double feu	700	1920	1400	-	0	20,8	0,42
Applique murale	700	1685	-	1260	0	11,6	0,25
Contre-feu	700	1685	-	1260	0	11,6	0,25




crosse Salomé simple feu



crosse Salomé double feu



applique murale Salomé



contre-feu Salomé



Chorus Salomé



Tsana Salomé



Metro Salomé



LED Luminaires

Modern Streetfurniture

Waste bins

Bollards Light

tree grill

Bollards

Classic poles cast iron

Steel poles

MODERN POLES CAST IRON

Defence bollards

Drinkwater fountain

SEATING

TRAMWAY POLES

Modern LED luminaires

Classic luminaires

Classic street furniture

Ghm

Rue Antoine Durenne
52220 Sommevoire
France
Tel nr. 0033 3 25 55 23 03

ECLATEC

41 rue Lafayette
54320 Maxeville
France
Tel nr. 0033 3 83 39 38 28

Export internet : www.ghm-eclatec.com

Email export: info@ghm-eclatec.com