



Crosse Saxo : en aluminium

Fixation suspendue du luminaire par rotule

Fixation pénétrante de la crosse dans le mât

Fixation de la crosse par bride sur mât bois Totem

Finition : thermolaquage par poudrage polyester, couleur au choix

Mât : acier cylindro-conique Ø 60/62 mm


Mât Totem : bois cylindrique

Hauteur totale : 4,7 m pour mât Ø 140 mm / 6,7 m pour mât Ø 168 mm


SAXO	A mm	B mm	C mm	D mm	Inclinaison degrès	Poids kg	SCx m ²
Simple feu	650	390	-	-	15	4	0,07
	1200	250	-	-	15	5,4	0,17
Double feu	650	390	1300	-	15	5,8	0,12
	1200	250	2400	-	15	9	0,32
Applique murale	650	250	-	230	15	4	0,05
	1200	400	-	230	15	5,4	0,05
Contre-feu*	650	260	-	230	15	4	0,05

SAXO (Totem)							
Simple feu*	650	260	-	-	15	4	0,05
	1200	400	-	-	15	5,4	0,15
Double feu*	650	260	1300	-	15	7,6	0,10
	1200	400	2400	-	15	10,4	0,30


* Demande d'étude obligatoire




crosse Saxo simple feu




crosse Saxo double feu




crosse Saxo (Totem) simple feu



applique murale Saxo



contre-feu Saxo *



crosse Saxo(Totem) double feu



Chorus Saxo



Metro Saxo



Elipt Saxo



Stratus Saxo



LED Luminaires

Modern Streetfurniture

Waste bins

Bollards Light

tree grill

Bollards

Classic poles cast iron

Steel poles

MODERN POLES CAST IRON

Defence bollards

Drinkwater fountain

SEATING

TRAMWAY POLES

Modern LED luminaires

Classic luminaires

Classic street furniture

Ghm

Rue Antoine Durenne
52220 Sommevoire
France
Tel nr. 0033 3 25 55 23 03

ECLATEC

41 rue Lafayette
54320 Maxeville
France
Tel nr. 0033 3 83 39 38 28

Export internet : www.ghm-eclatec.com

Email export: info@ghm-eclatec.com