

SURF TT

Design crosse : Stéphane MASINI



Crosse Surf TT : en acier, Ø 60 mm


Fixation du luminaire en coiffant ou pénétrant standard Eclatec (cf p.132)

Fixation pénétrante de la crosse dans le mât


Finition : thermolaquage par poudrage polyester, couleur au choix

Mât : acier cylindro-conique Ø 60/62 mm


SURF TT	A mm	B mm	C mm	D mm	Inclinaison degrès	Poids kg	SCx m ²
Simple feu	500	500	-	-	5	6,7	0,06
	1000	500	-	-	5	9,5	0,10
	1500	500	-	-	5	12,6	0,17
Double feu	500	500	1000	-	5	8,5	0,08
	1000	500	2000	-	5	13,3	0,13
	1500	500	3000	-	5	19	0,18
Applique murale	500	160	-	260	5	3,5	0,06
	1000	280	-	360	5	6,7	0,10
	1500	420	-	480	5	10	0,17
Contre-feu	500	160	-	260	5	3,5	0,06
	1000	280	-	360	5	6,7	0,10
	1500	420	-	480	5	10	0,17



crosse Surf TT simple feu



crosse Surf TT double feu



*applique murale / contre-feu
Surf TT*



Ixis Surf TT



Indice Surf TT



Chorus Surf TT



Elipt Surf TT



Clip Surf TT



Zesto Surf TT



Moana Surf TT



Murena Surf TT



Tweet Surf TT



Tsana X Surf TT

LED Luminaires

Modern Streetfurniture

Waste bins

Bollards Light

tree grill

Bollards

Classic poles cast iron

Steel poles

MODERN POLES CAST IRON

Defence bollards

Drinkwater fountain

SEATING

TRAMWAY POLES

Modern LED luminaires

Classic luminaires

Classic street furniture

Ghm

Rue Antoine Durenne
52220 Sommevoire
France
Tel nr. 0033 3 25 55 23 03

ECLATEC

41 rue Lafayette
54320 Maxeville
France
Tel nr. 0033 3 83 39 38 28

Export internet : www.ghm-eclatec.com

Email export: info@ghm-eclatec.com