

Luminaires	LED quantity/ module	LED modules ^(A)	Lenses		Power source ^(B)			LED flux					Luminaire output flux					Luminaire Maximum efficiency ^(C) (lm/W)	Options ^(C)												
			Quantity of optical distributions available ^(A)	Backlight shield option	Current ^(B)		Max power ^(B) (W)	Led flux at Pmaxi 4000 K ^(E) (lm)	Led flux at Pmaxi 3000 K ^(E) (lm)	Led flux at Pmaxi 2700 K ^(E,H) (lm)	Led flux at Pmaxi 2400 K ^(E,H) (lm)	Led flux at Pmaxi 2200 K ^(E,H) (lm)	Output flux at Pmaxi 4000 K ^(E) (lm)	Output flux at Pmaxi 3000 K ^(E) (lm)	Output flux at Pmaxi 2700 K ^(E,H) (lm)	Output flux at Pmaxi 2400 K ^(E,H) (lm)	Output flux at Pmaxi 2200 K ^(E,H) (lm)		At lighting point					Smart Ready		Local network			Smart lighting		
					Constant	Dimmable (Imax)													POLEDRIVE, Dimming 5 - Motion P - MD - DALI CLO ^(F)	POLEDRIVE Bluetooth	Motion, Motion 5	Motion DALI	FP ^(E)	Smart-Ready	Double Smart-Ready	DE+COM V2 WIZARD antenna	DEP+COM V2 WIZARD antenna	(DEDP, MD or MCD)+COM V2 WIZARD antenna	WIZARD integrated	WIZARD MCD remoted	
ALOA	36	ALOA	2	-	-	700 ^(A)	75	12593	12211	11066	10112	9922	9801	9504	8613	7871	7722	146	✓	-	-	-	✓	✓	-	-	-	✓	✓	✓	
AMARANTE	24	KIDLED	3	-	350,700	700 ^(B)	52	8395	8141	7378	6742	6614	6224	6036	5470	4998	4904	127	✓	✓	-	-	✓	-	-	-	-	-	✓	-	✓
AXEL	24	AXEL	15	✓	-	700 ^(A)	51	8395	8141	7377	6741	6614	5464	5298	4801	4387	4305	113	✓	-	-	-	✓	✓	-	-	-	-	✓	✓	✓
BUZZ (3E ^(H)) TEXTO	12	ZEDLED C0	4	✓	-	700 ^(A)	29	4198	4070	3689	3371	3307	3079	2985	2705	2472	2426	123	✓	✓	-	-	✓	✓	-	-	-	-	✓	✓	✓
	20	ZEDLED C1	4	✓	-	700 ^(A)	45	6996	6784	6148	5618	5512	5131	4975	4509	4120	4043	137	✓	✓	-	-	✓	✓	-	-	-	-	✓	✓	✓
	26	ZEDLED C2	4	✓	-	700 ^(A)	56	9095	8819	7992	7303	7166	6670	6468	5862	5356	5255	135	✓	✓	-	-	✓	✓	-	-	-	-	✓	✓	✓
BUZZ (1E)	20	ZEDLED C1	2	✓	700	-	43	5088	4934	-	-	-	3938	3819	-	-	-	92	-	-	-	-	✓	-	-	-	-	-	-	-	
CORTO (without design)	8	ZEDLED 1_1*BLS8	15	✓	-	700 ^(A)	19	2798	2714	2459	2247	2205	2178	2112	1914	1749	1716	125	✓	✓	-	-	✓	✓ ^(H)	-	-	-	-	✓	✓	✓
	16	ZEDLED 1_2*BLS8	15	✓	-	700 ^(A)	35	5597	5427	4918	4494	4410	4356	4224	3828	3498	3432	142	✓	✓	-	-	✓	✓ ^(H)	-	-	-	-	✓	✓	✓
	24	ZEDLED 1_2*BLS12	15	✓	-	700 ^(A)	51	8395	8141	7378	6742	6614	6534	6336	5742	5247	5148	142	✓	✓	-	-	✓	✓ ^(H)	-	-	-	-	✓	✓	✓
	36	ZEDLED 1_3*BLS12	15	✓	-	700 ^(A)	75	12593	12211	11066	10112	9922	9801	9504	8613	7871	7722	146	✓	✓	-	-	✓	✓ ^(H)	-	-	-	-	✓	✓	✓
CORTO with VENGA design	8	ZEDLED 1_1*BLS8	15	✓	-	700 ^(A)	19	2798	2714	2459	2247	2205	1742	1690	1531	1399	1373	125	✓	✓	-	-	✓	✓ ^(H)	-	-	-	-	✓	✓	✓
	16	ZEDLED 1_2*BLS8	15	✓	-	700 ^(A)	35	5597	5427	4918	4494	4410	3485	3379	3062	2798	2746	142	✓	✓	-	-	✓	✓ ^(H)	-	-	-	-	✓	✓	✓
	24	ZEDLED 1_2*BLS12	15	✓	-	700 ^(A)	51	8395	8141	7378	6742	6614	5227	5069	4594	4198	4118	142	✓	✓	-	-	✓	✓ ^(H)	-	-	-	-	✓	✓	✓
	36	ZEDLED 1_3*BLS12	15	✓	-	700 ^(A)	75	12593	12211	11066	10112	9922	7841	7603	6890	6296	6178	146	✓	✓	-	-	✓	✓ ^(H)	-	-	-	-	✓	✓	✓
ELIPT 45, CHORUS 45, TSANA 45	12	ORALED 1.0	4	✓	-	700 ^(A)	29	4198	4070	3689	3371	3307	3867	3750	3398	3105	3047	144	✓	✓	✓	-	✓	✓ ^(H)	-	✓	-	✓	✓ ^(H)	✓	✓
	20	ORALED 1.1	4	✓	-	700 ^(A)	45	6996	6784	6148	5618	5512	6445	6250	5664	5175	5078	160	✓	✓	✓	-	✓	✓ ^(H)	-	✓	-	✓	✓ ^(H)	✓	✓
	26	ORALED 1.2	4	✓	-	700 ^(A)	56	9095	8819	7992	7303	7166	8478	8221	7450	6808	6679	158	✓	✓	✓	-	✓	✓ ^(H)	-	✓	-	✓	✓ ^(H)	✓	✓
	8	ROELED 1_1*BLS8	15	✓	700	700 ^(A)	19	2798	2714	2459	2247	2205	2178	2112	1914	1749	1716	125	✓	✓	✓	✓	✓	✓ ^(H)	-	✓	✓	✓	✓ ^(H)	✓	✓
	16	ROELED 1_2*BLS8	15	✓	700	700 ^(A)	35	5597	5427	4918	4494	4410	4356	4224	3828	3498	3432	142	✓	✓	✓	✓	✓	✓ ^(H)	-	✓	✓	✓	✓ ^(H)	✓	✓
	24	ROELED 1_2*BLS12	15	✓	700	700 ^(A)	51	8395	8141	7378	6742	6614	6534	6336	5742	5247	5148	142	✓	✓	✓	✓	✓	✓ ^(H)	-	✓	✓	✓	✓ ^(H)	✓	✓
	36	ROELED 1_3*BLS12	15	✓	700	700 ^(A)	75	12593	12211	11066	10112	9922	9801	9504	8613	7871	7722	146	✓	✓	✓	✓	✓	✓ ^(H)	-	✓	✓	✓	✓ ^(H)	✓	✓
ELIPT 45 X, CHORUS 45 X, TSANA 45 X	8	XEOLED 1_1*BLS8	15	✓	-	700 ^(A)	19	2798	2714	2459	2247	2205	2178	2112	1914	1749	1716	125	✓	✓	-	-	✓	✓	✓	-	-	✓	✓	✓	✓
	16	XEOLED 1_2*BLS8	15	✓	-	700 ^(A)	35	5597	5427	4918	4494	4410	4356	4224	3828	3498	3432	142	✓	✓	-	-	✓	✓	✓	-	-	✓	✓	✓	✓
	24	XEOLED 1_2*BLS12	15	✓	-	700 ^(A)	51	8395	8141	7378	6742	6614	6534	6336	5742	5247	5148	142	✓	✓	-	-	✓	✓	✓	-	-	✓	✓	✓	✓
	36	XEOLED 1_3*BLS12	15	✓	-	700 ^(A)	75	12593	12211	11066	10112	9922	9801	9504	8613	7871	7722	146	✓	✓	-	-	✓	✓	✓	-	-	✓	✓	✓	✓
ELIPT 55, CHORUS 55, TSANA 55	36	ORALED 2	4	✓	-	700 ^(A)	74	12593	12211	11066	10112	9922	11452	11105	10064	9197	9023	166	✓	✓	-	-	✓	✓ ^(H)	-	-	-	✓	✓ ^(H)	✓	✓
	36	ROELED 2_3*BLS 12	15	✓	700	700 ^(A)	75	12593	12211	11066	10112	9922	9801	9504	8613	7871	7722	156	✓	✓	-	-	✓	✓ ^(H)	-	-	-	✓	✓ ^(H)	✓	✓
	48	ROELED 2_4*BLS 12	15	✓	700	700 ^(A)	101	16790	16282	14755	13483	13229	12599	12217	11071	10117	9926	157	✓	✓	-	-	✓	✓ ^(H)	-	-	-	✓	✓ ^(H)	✓	✓
	60	ROELED 2_5*BLS 12	15	✓	700	700 ^(A)	123	20988	20352	18444	16854	16536	15746	15269	13838	12645	12406	164	✓	✓	-	-	✓	✓ ^(H)	-	-	-	✓	✓ ^(H)	✓	✓
	72	ROELED 2_6*BLS 12	15	✓	700	700 ^(A)	145	25186	24422	22133	20225	19843	18896	18324	16606	15174	14888	171	✓	✓	-	-	✓	✓ ^(H)	-	-	-	✓	✓ ^(H)	✓	✓
ELIPT 55 X, CHORUS 55 X, TSANA 55 X	36	XEOLED 2_3*BLS 12	15	✓	-	700 ^(A)	75	12593	12211	11066	10112	9922	9801	9504	8613	7871	7722	156	✓	✓	-	-	✓	✓	✓	-	-	✓	✓	✓	✓
	48	XEOLED 2_4*BLS 12	15	✓	-	700 ^(A)	101	16790	16282	14755	13483	13229	13367	12962	11747	10734	10532	157	✓	✓	-	-	✓	✓	✓	-	-	✓	✓	✓	✓
	60	XEOLED 2_5*BLS 12	15	✓	-	700 ^(A)	123	20988	20352	18444	16854	16536	16686	16181	14664	13400	13147	164	✓	✓	-	-	✓	✓	✓	-	-	✓	✓	✓	✓
	72	XEOLED 2_6*BLS 12	15	✓	-	650	145	25186	24422	22133	20225	19843	20311	19695	17849	16310	16003	171	✓	✓	-	-	✓	✓	✓	-	-	✓	✓	✓	✓
ELYXE	12	ORALED 1.0	4	✓	-	700 ^(A)	29	4198	4070	3689	3371	3307	3694	3582	3246	2966	2910	118	✓	✓	✓	-	✓	✓	-	✓	-	✓	✓	✓	✓
	20	ORALED 1.1	4	✓	-	700 ^(A)	45	6996	6784	6148	5618	5512	6160	5974	5414	4947	4854	131	✓	✓	✓	-	✓	✓	-	✓	-	✓	✓	✓	✓
	26	ORALED 1.2	4	✓	-	700 ^(A)	56	9095	8819	7992	7303	7166	8008	7766	7038	6431	6310	128	✓	✓	✓	-	✓	✓	-	✓	-	✓	✓	✓	✓
	8	SEOLED 1_1*BLS8	15	✓	-	700 ^(A)	19	2798	2714	2459	2247	2205	2047	1985	1799	1644	1613	125	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓
	16	SEOLED 1_2*BLS8	15	✓	-	700 ^(A)	34	5597	5427	4918	4494	4410	4095	3971	3598	3288	3226	142	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓
	24	SEOLED 1_2*BLS12	15	✓	-	700 ^(A)	50	8395	8141	7378	6742	6614	6142	5956																	

Luminaires	LED quantity/ module	LED modules ^(A)	Lenses		Power source ^(B)			LED flux					Luminaire output flux					Luminaire Maximum efficiency ^(C) (lm/W)	Options ^(D)															
			Quantity of optical distributions available ^(A)	Backlight shield option	Current ^(B)		Max power ^(B) (W)	Led flux at Pmaxi 4000 K ^(E) (lm)	Led flux at Pmaxi 3000 K ^(E) (lm)	Led flux at Pmaxi 2700 K ^(E,F) (lm)	Led flux at Pmaxi 2400 K ^(E,G) (lm)	Led flux at Pmaxi 2200 K ^(E,H) (lm)	Output flux at Pmaxi 4000 K ^(E) (lm)	Output flux at Pmaxi 3000 K ^(E) (lm)	Output flux at Pmaxi 2700 K ^(E,F) (lm)	Output flux at Pmaxi 2400 K ^(E,G) (lm)	Output flux at Pmaxi 2200 K ^(E,H) (lm)		At lighting point					Smart Ready		Local network			Smart lighting					
					Constant	Dimmable (Imax)													POLEDRIVE, Dimming 5 - Motion P - MD - DALI CLO ⁽⁷⁾	POLEDRIVE Bluetooth	Motion, Motion 5	Motion DALI	FP ⁽⁸⁾	Smart-Ready	Double Smart-Ready	DE+COM V2 WIZARD antenna	DEP+COM V2 WIZARD antenna	(DEDP, MD or MCD)+COM V2 WIZARD antenna	WIZARD integrated	WIZARD MCD remoted				
LEXIK 2	12	1*BLS12	15	✓	-	700	26	4198	4070	3689	3371	3307	3163	3067	2780	2540	2492	142	✓	-	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓		
	24	2*BLS12	15	✓	-	700	51	8395	8141	7378	6742	6614	6326	6135	5560	5080	4984	142	✓	-	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓		
	36	3*BLS 12	15	✓	-	700	75	12593	12211	11066	10112	9922	10165	9857	8933	8163	8009	156	✓	-	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	
	48	4*BLS 12	15	✓	-	700	101	16790	16282	14755	13483	13229	13552	13142	11910	10883	10678	157	✓	-	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓
	60	5*BLS 12	15	✓	-	700	123	20988	20352	18444	16854	16536	16942	16428	14888	13605	13348	164	✓	-	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓
MAMBA	30	KIDLED	1	-	350, 700	700 ^(B)	65	10494	10176	9222	8427	8268	9148	8870	8039	7346	7207	151	✓	-	-	-	✓	-	-	-	-	-	✓	-	-	✓	✓	
METRO 45 INDICE 500	12	ORALED 1.0	4	✓	-	700 ^(A)	29	4198	4070	3689	3371	3307	3867	3750	3398	3105	3047	144	✓	✓	✓	-	✓	✓ ⁽⁶⁾	-	-	✓	-	✓	✓	✓	✓	✓	
	20	ORALED 1.1	4	✓	-	700 ^(A)	45	6996	6784	6148	5618	5512	6445	6250	5664	5175	5078	160	✓	✓	✓	-	✓	✓ ⁽⁶⁾	-	-	✓	-	✓	✓	✓	✓	✓	
	26	ORALED 1.2	4	✓	-	700 ^(A)	56	9095	8819	7992	7303	7166	8478	8221	7450	6808	6679	158	✓	✓	✓	-	✓	✓ ⁽⁶⁾	-	-	✓	-	✓	✓	✓	✓	✓	
	8	SEOLED 1_1*BLS8	15	✓	-	700 ^(A)	19	2798	2714	2459	2247	2205	2178	2112	1914	1749	1716	125	✓	✓	✓	✓	✓	✓ ⁽⁶⁾	-	-	✓	✓	✓	✓	✓	✓	✓	✓
	16	SEOLED 1_2*BLS8	15	✓	-	700 ^(A)	34	5597	5427	4918	4494	4410	4356	4224	3828	3498	3432	142	✓	✓	✓	✓	✓	✓ ⁽⁶⁾	-	-	✓	✓	✓	✓	✓	✓	✓	✓
	24	SEOLED 1_2*BLS12	15	✓	-	700 ^(A)	50	8395	8141	7378	6742	6614	6534	6336	5742	5247	5148	142	✓	✓	✓	✓	✓	✓ ⁽⁶⁾	-	-	✓	✓	✓	✓	✓	✓	✓	✓
METRO 55 INDICE 620	36	ORALED 2	4	✓	-	700 ^(A)	74	12593	12211	11066	10112	9922	11452	11105	10064	9197	9023	166	✓	✓	-	-	✓	✓ ⁽⁶⁾	-	-	-	✓	✓	✓	✓	✓	✓	
	36	SEOLED 2_3*BLS 12	15	✓	-	700 ^(A)	75	12593	12211	11066	10112	9922	9801	9504	8613	7871	7722	156	✓	✓	-	-	✓	✓ ⁽⁶⁾	-	-	-	✓	✓	✓	✓	✓	✓	
	48	SEOLED 2_4*BLS 12	15	✓	-	700 ^(A)	101	16790	16282	14755	13483	13229	12599	12217	11071	10117	9926	157	✓	✓	-	-	✓	✓ ⁽⁶⁾	-	-	-	✓	✓	✓	✓	✓	✓	
	60	SEOLED 2_5*BLS 12	15	✓	-	700 ^(A)	123	20988	20352	18444	16854	16536	15746	15269	13838	12645	12406	164	✓	✓	-	-	✓	✓ ⁽⁶⁾	-	-	-	✓	✓	✓	✓	✓	✓	
	72	SEOLED 2_6*BLS 12	15	✓	-	700 ^(A)	145	25186	24422	22133	20225	19843	18896	18324	16606	15174	14888	171	✓	✓	-	-	✓	✓ ⁽⁶⁾	-	-	-	✓	✓	✓	✓	✓	✓	
MOANA , MURENA, PALEO, ECLAT, CLIP	28	TABLED 2	3	✓	-	1000	85	12341	11967	10845	9910	9723	10884	10554	9565	8740	8575	164	✓ ⁽⁶⁾	✓	-	-	✓ ⁽⁸⁾	✓ ⁽⁶⁾	-	-	-	✓ ⁽⁸⁾	✓	✓	✓ ⁽⁸⁾	✓	✓ ⁽⁸⁾	
MOANA, MURENA	24	2*BLS12	15	✓	-	700 ^(A)	51	8395	8141	7378	6742	6614	5949	5769	5228	4777	4687	147	✓	✓	-	-	✓ ⁽⁸⁾	✓ ⁽⁶⁾	-	-	-	✓	✓	✓	✓	✓	✓	
	36	3*BLS12	15	✓	-	700 ^(A)	75	12593	12211	11066	10112	9922	10165	9857	8933	8163	8009	156	✓	✓	-	-	✓	✓ ⁽⁶⁾	-	-	-	✓	✓	✓	✓	✓	✓	
	48	4*BLS12	15	✓	-	700 ^(A)	101	16790	16282	14755	13483	13229	13552	13142	11910	10883	10678	157	✓	✓	-	-	✓	✓ ⁽⁶⁾	-	-	-	✓	✓	✓	✓	✓	✓	
NISMO without bowl	12	NISMO (ORALED 1.0 type)	4	✓	-	700 ^(A)	29	4198	4070	3689	3371	3307	3463	3358	3043	2781	2728	118	✓	✓	✓	-	✓	✓	-	-	✓	-	✓	✓	✓	✓	✓	
	20	NISMO (ORALED 1.1 type)	4	✓	-	700 ^(A)	45	6996	6784	6148	5618	5512	5775	5600	5075	4638	4550	131	✓	✓	✓	-	✓	✓	-	-	✓	-	✓	✓	✓	✓	✓	
	26	NISMO (ORALED 1.2 type)	4	✓	-	700 ^(A)	56	9095	8819	7992	7303	7166	6652	6451	5846	5342	5241	129	✓	✓	✓	-	✓	✓	-	-	✓	-	✓	✓	✓	✓	✓	
	8	NISMO (type ZEDLED 1_1*BLS8)	15	✓	-	700 ^(A)	19	2798	2714	2459	2247	2205	1950	1891	1714	1566	1537	118	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	
	16	NISMO (type ZEDLED 1_2*BLS8)	15	✓	-	700 ^(A)	35	5597	5427	4918	4494	4410	3901	3783	3428	3133	3074	118	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	
	24	NISMO (type ZEDLED 1_2*BLS12)	15	✓	-	700 ^(A)	51	8395	8141	7378	6742	6614	5851	5674	5142	4699	4610	119	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	
NISMO with bowl	12	NISMO (ORALED 1.0 type)	4	✓	-	700 ^(A)	29	4198	4070	3689	3371	3307	3232	3134	2840	2596	2547	111	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	
	20	NISMO (ORALED 1.1 type)	4	✓	-	700 ^(A)	45	6996	6784	6148	5618	5512	5390	5226	4736	4328	4246	123	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	
	26	NISMO (ORALED 1.2 type)	4	✓	-	700 ^(A)	56	9095	8819	7992	7303	7166	7007	6794	6157	5627	5520	120	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	
NIXEA, TAİGA	8	1*BLS8	15	✓	-	700 ^(A)	19	2798	2714	2459	2247	2205	1983	1923	1743	1593	1563	125	✓	✓	-	-	✓	-	-	-	-	✓	-	✓	-	✓	✓	
	12	1*BLS12	15	✓	-	700 ^(A)	26	3631	3521	3190	2915	2860	3163	3067	2780	2540	2492	142	✓	✓	-	-	✓	-	-	-	-	✓	-	✓	-	✓	✓	
	16	2*BLS8	15	✓	-	700 ^(A)	35	5597	5427	4918	4494	4410	3965	3845	3485	3184	3124	142	✓	✓	-	-	✓	-	-	-	-	✓	-	✓	-	✓	✓	
	24	2*BLS 12	15	✓	-	700 ^(A)	51	8395	8141	7378	6742	6614	5950	5769	5228	4778	4688	147	✓	✓	-	-	✓	-	-	-	-	✓	-	✓	-	✓	✓	
NOA 1 (3E ⁽⁶⁾)	8	1*BLS8	15	✓	-	700 ^(A)	19	2798	2714	2459	2247	2205	2109	2045	1853	1693	1661	125	✓	✓	✓	✓	✓	✓	✓ ⁽³⁾	✓	✓	✓	✓	✓	✓	✓	✓	
	16	2*BLS8	15	✓	-	700 ^(A)	35	5597	5427	4918	4494	4410	4219	4091	3707	3388	3324	142	✓	✓	✓	✓	✓	✓	✓ ⁽³⁾	✓	✓	✓	✓	✓	✓	✓	✓	
	24	2*BLS12	15	✓	-	700 ^(A)	51	8395	8141	7378	6742	6614	6326	6135	5560	5080	4984	142	✓	✓	✓	✓	✓	✓	✓ ⁽³⁾	✓	✓	✓	✓	✓	✓	✓	✓	
	36	3*BLS12	15	✓	-	700 ^(A)	75	12593	12211	11066	10112	9922	9667	9374	8495	7763	7616	156	✓	✓	✓	✓	✓	✓	✓ ⁽³⁾	✓	✓	✓	✓	✓	✓	✓	✓	
NOA 2 (3E ⁽⁶⁾)	36	3*BLS12	15	✓	-	700 ^(A)	75	12593	12211	11066	10112	9922	9667	9374	8495	7763	7616	156	✓	✓	-	-	✓	✓	✓ ⁽³⁾ </									

Luminaires	LED quantity/ module	LED modules ^(A)	Lenses		Power source ^(B)			LED flux					Luminaire output flux					Luminaire Maximum efficiency ^(C) (lm/W)	Options ^(C)												
			Quantity of optical distributions available ^(A)	Backlight shield option	Current ^(B)		Max power ^(B) (W)	Led flux at Pmaxi 4000 K ^(E) (lm)	Led flux at Pmaxi 3000 K ^(E) (lm)	Led flux at Pmaxi 2700 K ^(E,H) (lm)	Led flux at Pmaxi 2400 K ^(E,H) (lm)	Led flux at Pmaxi 2200 K ^(E,H) (lm)	Output flux at Pmaxi 4000 K ^(E) (lm)	Output flux at Pmaxi 3000 K ^(E) (lm)	Output flux at Pmaxi 2700 K ^(E,H) (lm)	Output flux at Pmaxi 2400 K ^(E,H) (lm)	Output flux at Pmaxi 2200 K ^(E,H) (lm)		At lighting point					Smart Ready		Local network			Smart lighting		
					Constant	Dimmable (Imax)													POLEDRIE, Dimming 5- Motion P - MD - DALI CLO ⁽⁷⁾	POLEDRIE Bluetooth	Motion, Motion 5	Motion DALI	FP ⁽⁸⁾	Smart-Ready	Double Smart-Ready	DE+COM V2 WIZARD antenna	DEP+COM V2 WIZARD antenna	(DEDP, MD or MCD)+COM V2 WIZARD antenna	WIZARD integrated	WIZARD MCD remoted	
PRIORILED	40	PRIORILED	2	-	700	-	84	13144	12746	11551	10555	10356	11961	11599	10511	9605	9424	166	✓	-	-	-	✓	-	-	-	-	✓	-	✓	
REFLEX DIRECT	12	ORALED 1.0	4	✓	-	700 ⁽⁴⁾	29	4198	4070	3689	3371	3307	3436	3332	3019	2759	2707	133	✓	✓	✓	-	✓	✓	-	✓	✓	✓	✓	✓	
	20	ORALED 1.1	4	✓	-	700 ⁽⁴⁾	45	6996	6784	6148	5618	5512	5726	5553	5032	4598	4511	148	✓	✓	✓	-	✓	✓	-	✓	✓	✓	✓	✓	
	26	ORALED 1.2	4	✓	-	700 ⁽⁴⁾	56	9095	8819	7992	7303	7166	7444	7218	6542	5978	5865	145	✓	✓	✓	-	✓	✓	-	✓	✓	✓	✓	✓	
	8	SEOLED 1_1*BLS8	15	✓	-	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	2178	2112	1914	1749	1716	125	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	16	SEOLED 1_2*BLS8	15	✓	-	700 ⁽⁴⁾	34	5597	5427	4918	4494	4410	4356	4224	3828	3498	3432	142	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	24	SEOLED 1_2*BLS12	15	✓	-	700 ⁽⁴⁾	50	8395	8141	7378	6742	6614	6534	6336	5742	5247	5148	142	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
SAGA	12	ORALED 1.0	4	✓	-	700 ⁽⁴⁾	29	4198	4070	3689	3371	3307	3867	3750	3398	3105	3047	144	✓	✓	✓	-	✓	✓	-	✓	✓	✓	✓	✓	
	20	ORALED 1.1	4	✓	-	700 ⁽⁴⁾	45	6996	6784	6148	5618	5512	6445	6250	5664	5175	5078	160	✓	✓	✓	-	✓	✓	-	✓	✓	✓	✓	✓	
	26	ORALED 1.2	4	✓	-	700 ⁽⁴⁾	56	9095	8819	7992	7303	7166	8478	8221	7450	6808	6679	158	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	8	SEOLED 1_1*BLS8	15	✓	-	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	2178	2112	1914	1749	1716	125	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	16	SEOLED 1_2*BLS8	15	✓	-	700 ⁽⁴⁾	34	5597	5427	4918	4494	4410	4356	4224	3828	3498	3432	142	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	24	SEOLED 1_2*BLS12	15	✓	-	700 ⁽⁴⁾	50	8395	8141	7378	6742	6614	6534	6336	5742	5247	5148	142	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
SCOOP / SCOOP KEA (3E ⁽⁶⁾)	24	SCOOP	3	-	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	5507	5340	4839	4422	4339	126	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
SCOOP / SCOOP KEA (1E)	24	SCOOP	2	-	700	-	52	6106	5921	-	-	-	4200	4073	-	-	-	83	-	-	-	-	-	-	-	-	-	-	-		
SCOOP / SCOOP KEA (1E)	12	SCOOP	2	-	700	-	27	3053	2960	-	-	-	2142	2077	-	-	-	83	-	-	-	-	-	-	-	-	-	-	-		
SONATA / SONATA O	24 ⁽²⁾	2*BLS 12	15	✓	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	6613	6412	5811	5310	5210	143	✓	✓ ⁽⁹⁾	✓ ⁽⁹⁾	✓ ⁽⁹⁾	✓	✓	✓	✓ ⁽⁹⁾	✓ ⁽⁹⁾	✓	✓	✓	
STELIUM S1, X1 (3E ⁽⁶⁾)	8	1*BLS8	15	✓	-	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	1983	1923	1743	1593	1563	125	✓	✓	-	-	✓	✓	✓ ⁽⁷⁾	-	✓ ⁽⁹⁾	✓	✓	✓	
	16	2*BLS8	15	✓	-	700 ⁽⁴⁾	35	5597	5427	4918	4494	4410	3965	3845	3485	3184	3124	142	✓	✓	-	-	✓	✓	✓ ⁽⁷⁾	-	✓ ⁽⁹⁾	✓	✓	✓	
	24	2*BLS 12	15	✓	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	6501	6304	5713	5221	5122	147	✓	✓	-	-	✓	✓	✓ ⁽⁷⁾	-	✓ ⁽⁹⁾	✓	✓	✓	
	36	3*BLS12	15	✓	-	700 ⁽⁴⁾	75	12593	12211	11066	10112	9922	9750	9454	8568	7829	7682	156	✓	✓	-	-	✓	✓	✓ ⁽⁷⁾	-	✓ ⁽⁹⁾	✓	✓	✓	
STELIUM S2, X2 (3E ⁽⁶⁾)	24	2*BLS 12	15	✓	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	6501	6304	5713	5221	5122	147	✓	✓	-	-	✓	✓	✓ ⁽⁷⁾	-	-	✓	✓	✓	
	36	3*BLS 12	15	✓	-	700 ⁽⁴⁾	75	12593	12211	11066	10112	9922	9750	9454	8568	7829	7682	156	✓	✓	-	-	✓	✓	✓ ⁽⁷⁾	-	-	✓	✓	✓	
	48	4*BLS 12	15	✓	-	700 ⁽⁴⁾	98	16790	16282	14755	13483	13229	13001	12607	11425	10440	10243	157	✓	✓	-	-	✓	✓	✓ ⁽⁷⁾	-	-	✓	✓	✓	
TABLED 1	20	TABLED 1	3	-	-	700 ⁽⁴⁾	45	6996	6784	6148	5618	5512	6445	6250	5664	5175	5078	161	✓	-	-	-	✓	-	-	-	-	✓	-	✓	
TAÍGA KRF	8	1*BLS8	15	✓	-	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	1983	1923	1743	1593	1563	125	✓	✓	-	-	✓	-	-	-	-	✓	-	✓	
	12	1*BLS12	15	✓	-	700 ⁽⁴⁾	26	3631	3521	3190	2915	2860	3163	3067	2780	2540	2492	142	✓	✓	-	-	✓	-	-	-	-	✓	-	✓	
	16	2*BLS8	15	✓	-	700 ⁽⁴⁾	35	5597	5427	4918	4494	4410	3965	3845	3485	3184	3124	142	✓	✓	-	-	✓	-	-	-	-	✓	-	✓	
	24	2*BLS 12	15	✓	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	5950	5769	5228	4778	4688	147	✓	✓	-	-	✓	-	-	-	-	✓	-	✓	
TEO 45	12	TEO 1.0 (ORALED 1.0 type)	4	✓	-	700	29	4198	4070	3689	3371	3307	3867	3750	3398	3105	3047	144	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	20	TEO 1.1 (ORALED 1.1 type)	4	✓	-	700	45	6996	6784	6148	5618	5512	6445	6250	5664	5175	5078	160	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	26	TEO 1.2 (ORALED 1.2 type)	4	✓	-	700 ⁽⁴⁾	56	9095	8819	7992	7303	7166	8478	8221	7450	6808	6679	158	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	8	1*BLS8	15	✓	700 ⁽²⁾	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	2178	2112	1914	1749	1716	125	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	16	2*BLS8	15	✓	700 ⁽²⁾	700 ⁽⁴⁾	35	5597	5427	4918	4494	4410	4356	4224	3828	3498	3432	142	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	24	2*BLS12	15	✓	700 ⁽²⁾	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	6534	6336	5742	5247	5148	142	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
TEO 55	36	3*BLS12	15	✓	700 ⁽²⁾	700 ⁽⁴⁾	75	12593	12211	11066	10112	9922	9801	9504	8613	7871	7722	146	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	36	TEO 2 (ORALED 2 type)	4	✓	-	700 ⁽⁴⁾	74	12593	12211	11066	10112	9922	11452	11105	10064	9197	9023	166	✓	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	
	48	4*BLS 12	15	✓	700 ⁽²⁾	700 ⁽⁴⁾	101	16790	16282	14755	13483	13229	12599	12217	11071	10117	9926	157	✓	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	
	60	5*BLS 12	15	✓	700 ⁽²⁾	700 ⁽⁴⁾	123	20988	20352	18444	16854	16536	15746	15269	13838	12645	12406	164	✓	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	
	72	6*BLS 12	15	✓	700 ⁽²⁾	700 ⁽⁴⁾	145	25186	24422	22133	20225	19843	18896	18324	16606	15174	14888	171	✓	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	
TILT ORIGIN	20	TILT Origin	2	-	-	700	47	6996	6784	6148	5618	5512	4110	3985	3611	3300	3238	102	✓	✓	✓	-	✓	-	-	-	-	✓	-	✓	
	32	TILT Origin	2	-	-	700	70	10857	10528	9541	8719	8554	5279	5119	4639	4239	4159	98	✓	✓	✓	-	✓	-	-	-	✓	-	✓		
TILT T1	8	PADLED 1_1 * BLS 8	15	✓	-																										

Luminaires	LED quantity/ module	LED modules ^(A)	Lenses		Power source ^(B)			LED flux					Luminaire output flux					Luminaire Maximum efficiency ^(C) (lm/W)	Options ^(G)												
			Quantity of optical distributions available ^(A)	Backlight shield option	Current ^(B)		Max power ^(B) (W)	Led flux at Pmaxi 4000 K ^(E) (lm)	Led flux at Pmaxi 3000 K ^(E) (lm)	Led flux at Pmaxi 2700 K ^(E,H) (lm)	Led flux at Pmaxi 2400 K ^(E,H) (lm)	Led flux at Pmaxi 2200 K ^(E,H) (lm)	Output flux at Pmaxi 4000 K ^(E) (lm)	Output flux at Pmaxi 3000 K ^(E) (lm)	Output flux at Pmaxi 2700 K ^(E,H) (lm)	Output flux at Pmaxi 2400 K ^(E,H) (lm)	Output flux at Pmaxi 2200 K ^(E,H) (lm)		At lighting point					Smart Ready		Local network			Smart lighting		
					Constant	Dimmable (Imax)													POLEDRIVE, Dimming 5 - Motion P - MD - DALI CLO ⁽⁷⁾	POLEDRIVE Bluetooth	Motion, Motion 5	Motion DALI	FP ⁽⁸⁾	Smart-Ready	Double Smart-Ready	DE+COM V2 WIZARD antenna	DEP+COM V2 WIZARD antenna	(DEDP, MD or MCD)+COM V2 WIZARD antenna	WIZARD integrated	WIZARD MCD remoted	
TILT T3	48	PADLED 3_4 * BLS 12	15	✓	-	700 ⁽⁴⁾	98	16790	16282	14755	13483	13229	13070	12674	11486	10496	10298	157	✓	-	-	-	✓	✓	-	-	-	✓	✓	✓	
	60	PADLED 3_5 * BLS 12	15	✓	-	700 ⁽⁴⁾	123	20988	20352	18444	16854	16536	16337	15842	14357	13119	12872	164	✓	-	-	-	✓	✓	-	-	-	✓	✓	✓	
TILT T4	112	PADLED 4_14 * BLS 8	15	✓	-	700 ⁽⁴⁾	233	39178	37990	34429	31461	30867	31806	30842	27950	25541	25059	160	✓	-	-	-	✓	✓	-	-	-	✓	✓	✓	
TWEET NEO S1, X1 (3E ⁽⁶⁾)	8	1*BLS8	15	✓	-	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	1983	1923	1743	1593	1563	125	✓	✓	-	-	✓	✓	-	-	✓ ⁽⁹⁾	✓	✓	✓	
	16	2*BLS8	15	✓	-	700 ⁽⁴⁾	35	5597	5427	4918	4494	4410	3965	3845	3485	3184	3124	142	✓	✓	-	-	✓	✓	-	-	✓ ⁽⁹⁾	✓	✓	✓	
	24	2*BLS 12	15	✓	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	6501	6304	5713	5221	5122	147	✓	✓	-	-	✓	✓	-	-	✓ ⁽⁹⁾	✓	✓	✓	
	36	3*BLS12	15	✓	-	700 ⁽⁴⁾	75	12593	12211	11066	10112	9922	9750	9454	8568	7829	7682	156	✓	✓	-	-	✓	✓	-	-	✓ ⁽⁹⁾	✓	✓	✓	
TWEET NEO S2, X2 (3E ⁽⁶⁾)	24	2*BLS 12	15	✓	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	6501	6304	5713	5221	5122	147	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
	36	3*BLS 12	15	✓	-	700 ⁽⁴⁾	75	12593	12211	11066	10112	9922	9750	9454	8568	7829	7682	156	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
	48	4*BLS 12	15	✓	-	700 ⁽⁴⁾	98	16790	16282	14755	13483	13229	13001	12607	11425	10440	10243	157	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
TWEET 1 Origin S1, X1 (3E ⁽⁶⁾)	8	1*BLS8	15	✓	-	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	2026	1964	1780	1627	1596	125	✓	-	-	-	✓	✓ ⁽¹⁰⁾	-	-	-	✓	✓ ⁽¹⁰⁾	✓	
	16	2*BLS8	15	✓	-	700 ⁽⁴⁾	35	5597	5427	4918	4494	4410	4050	3928	3560	3253	3191	142	✓	-	-	-	✓	✓ ⁽¹⁰⁾	-	-	-	✓	✓ ⁽¹⁰⁾	✓	
	24	3*BLS 8	15	✓	-	700 ⁽⁴⁾	53	8395	8141	7378	6742	6614	6075	5891	5339	4879	4787	136	✓	-	-	-	✓	✓ ⁽¹⁰⁾	-	-	-	✓	✓ ⁽¹⁰⁾	✓	
TWEET 2 Origin : S2, X2 (3E ⁽⁶⁾)	24	2*BLS12	15	✓	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	6075	5891	5339	4879	4787	147	✓	✓	-	-	✓	✓ ⁽¹⁰⁾	-	-	-	✓	✓ ⁽¹⁰⁾	✓	
	36	3*BLS12	15	✓	-	700 ⁽⁴⁾	75	12593	12211	11066	10112	9922	9113	8837	8009	7318	7180	156	✓	✓	-	-	✓	✓ ⁽¹⁰⁾	-	-	-	✓	✓ ⁽¹⁰⁾	✓	
TWEET 3 Origin : S3, X3 (3E ⁽⁶⁾)	48	4*BLS12	15	✓	-	700 ⁽⁴⁾	98	16790	16282	14755	13483	13229	12151	11783	10679	9758	9574	157	✓	✓	-	-	✓	✓ ⁽¹⁰⁾	-	-	-	✓	✓ ⁽¹⁰⁾	✓	
	60	5*BLS 12	15	✓	-	700 ⁽⁴⁾	123	20988	20352	18444	16854	16536	15187	14727	13347	12196	11966	164	✓	✓	-	-	✓	✓ ⁽¹⁰⁾	-	-	-	✓	✓ ⁽¹⁰⁾	✓	
UNIVERSO (road)	18	ZEDLED D	3	-	-	700 ⁽⁴⁾	41	6296	6106	5533	5056	4961	4108	3983	3610	3299	3237	114	✓	-	✓	-	✓	✓	-	✓	-	✓	✓	✓	
XEON 1	-	COB	3	-	700	700 ⁽⁴⁾	32	3345	3244	2940	-	-	2200	2133	1933	-	-	71	✓	-	-	-	✓	-	-	-	✓	-	✓		
XEON 2	6	XEON	5	-	-	700 ⁽⁴⁾	50	6643	6441	5837	-	-	5901	5722	5185	-	-	128	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
XEON 3	9 ⁽¹⁾	XEON	4	-	-	700 ⁽⁴⁾	73	9964	9662	8756	-	-	8551	8292	7514	-	-	128	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
ZELDA S1, X1 (3E ⁽⁶⁾)	8	1*BLS8	15	✓	-	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	2109	2045	1853	1693	1661	125	✓	✓	✓	✓	✓	✓	✓ ⁽¹¹⁾	✓	✓	✓	✓	✓	
	16	2*BLS8	15	✓	-	700 ⁽⁴⁾	35	5597	5427	4918	4494	4410	4219	4091	3707	3388	3324	142	✓	✓	✓	✓	✓	✓	✓ ⁽¹¹⁾	✓	✓	✓	✓	✓	
	24	2*BLS12	15	✓	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	6326	6135	5560	5080	4984	142	✓	✓	✓	✓	✓	✓	✓ ⁽¹¹⁾	✓	✓	✓	✓	✓	
ZELDA S2, X2 (3E ⁽⁶⁾)	36	3*BLS12	15	✓	-	700 ⁽⁴⁾	75	12593	12211	11066	10112	9922	9667	9374	8495	7763	7616	156	✓	✓	-	-	✓	✓	✓ ⁽¹¹⁾	-	-	-	✓	✓	
	48	4*BLS12	15	✓	-	700 ⁽⁴⁾	98	16790	16282	14755	13483	13229	12890	12500	11328	10351	10156	157	✓	✓	-	-	✓	✓	✓ ⁽¹¹⁾	-	-	✓	✓	✓	
	60	5*BLS 12	15	✓	-	700 ⁽⁴⁾	123	20988	20352	18444	16854	16536	16113	15624	14159	12939	12695	164	✓	✓	-	-	✓	✓	✓ ⁽¹¹⁾	-	-	✓	✓	✓	
ZELDA S3, X3 (3E ⁽⁶⁾)	80	4*BLS 8 + 4*BLS 12	15	✓	-	700	166	28248	27392	24824	22684	22256	21346	20699	18758	17141	16818	158	✓	✓	-	-	✓	✓	✓ ⁽¹¹⁾	-	-	✓	✓	✓	
	100	5*BLS 8 + 5*BLS 12	15	✓	-	650	191	32794	31800	28819	26334	25838	24776	24025	21773	19896	19521	159	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
	120	6*BLS 8 + 6*BLS 12	15	✓	-	600	208	36319	35218	31916	29165	28615	27444	26613	24118	22039	21623	161	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
ZEN (3E ⁽⁶⁾)	12	ZEDLED C0	4	✓	-	700 ⁽⁴⁾	29	4198	4070	3689	3371	3307	3079	2985	2705	2472	2426	123	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
	20	ZEDLED C1	4	✓	-	700 ⁽⁴⁾	45	6996	6784	6148	5618	5512	5131	4975	4509	4120	4043	137	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
	26	ZEDLED C2	4	✓	-	700 ⁽⁴⁾	56	9095	8819	7992	7303	7166	6670	6468	5862	5356	5255	135	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
	16	2*BLS8	15	✓	-	700 ⁽⁴⁾	34	5597	5427	4918	4494	4410	4119	3994	3619	3307	3245	142	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
	24	2*BLS12	15	✓	-	700 ⁽⁴⁾	51	8395	8141	7378	6742	6614	6177	5990	5429	4961	4867	142	✓	✓	-	-	✓	✓	-	-	-	✓	✓	✓	
ZENDA	21 or 30	ZENDA	3	-	350, 700	700 ⁽⁴⁾	67	6886	6679	6060	5530	5425	5738	5564	5043	4608	4521	94	✓	-	-	-	✓	-	-	-	-	✓	-	✓	
ZESTO	24	2*BLS12	15	✓	-	700	51	8395	8141	7378	6742	6614	6615	6414	5813	5312	5212	147	✓	-	-	-	✓	-	-	-	-	✓	-	✓	
	36	3*BLS12	15	✓	-	700	75	12593	12211	11066	10112	9922	9922	9622	8720	7968	7818	156	✓	-	-	-	✓	-	-	-	-	✓	-	✓	
	48	4*BLS12	15	✓	-	700	98	16790	16282	14755	13483	13229	13229	12828	11625	10623	10423	156	✓	-	-	-	✓	-	-	-	-	✓	-	✓	
TEAM (Bollard)	8	TEAM	2	-	-	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	1976	1916	1737	1587	1557	108	✓ ⁽¹²⁾	✓	-	-	✓	✓	-	-	-	-	✓ ⁽¹²⁾	-	✓ ⁽¹²⁾
TAIGA, TREK, ZESTO (Bollard)	8	BLS8	2	✓	-	700 ⁽⁴⁾	19	2798	2714	2459	2247	2205	1904	1847	1674	1529	1500	105	✓ ⁽¹²⁾	✓ ⁽¹²⁾	-	-	✓	✓	-	-	-	✓ ⁽¹²⁾	-	✓ ⁽¹²⁾	
TEO (Bollard)	8	BLS8	2	✓	-	700	19	2798	2714	2459	2247	2205	1623																		